


Introduction to Artificial Intelligence

Lecture 1: Intelligent agents

Prof. Gilles Louppe
g.louppe@uliege.be

Intelligent agents

Agents and environments




Agents

- An **agent** is an entity that **perceives** its environment through sensors and take **actions** through actuators.
- The agent behavior is described by its **policy**, a function

$$\pi : \mathcal{P}^* \rightarrow \mathcal{A}$$

that maps percept sequences to actions.

Simplified Pacman world




Let us consider a 2-cell world with a Pacman agent.

- Percepts: location and content, e.g. (left cell, no food)
- Actions: go left, go right, eat, do nothing

Pacman agent

The policy of a Pacman agent is a function that maps percept sequences to actions. It can be implemented as a table.

Percept sequence	Action
(left cell, no food)	go right
(left cell, food)	eat
(right cell, no food)	go left
(left cell, food)	eat
(left cell, no food), (left cell, no food)	go right
(left cell, no food), (left cell, food)	eat
(...)	(...)



SCORE: 18

What about the actual Pacman?

The optimal policy?

What is the optimal agent policy?

How to even formulate the goal of Pacman?


- 1 point per food dot collected up to time t ?
- 1 point per food dot collected up to time t , minus one per move?
- penalize when too many food dots are left not collected?

Can it be implemented in a **small** and **efficient** agent program?

Rational agents

- A performance measure evaluates a sequence of environment states caused by the agent's behavior.
- A rational agent is an agent that chooses whichever action that **maximizes** the **expected** value of the performance measure, given the percept sequence to date.

Rationality only concerns **what** decisions are made (not the thought process behind them, human-like or not).



In this course, Artificial intelligence = Maximizing expected performance

- Rationality \neq omniscience
 - percepts may not supply all relevant information.
- Rationality \neq clairvoyance
 - action outcomes may not be as expected.
- Hence, rational \neq successful.
- However, rationality leads to [exploration](#), [learning](#) and [autonomy](#).

Performance, environment, actuators, sensors

The characteristics of the performance measure, environment, action space and percepts dictate approaches for selecting rational actions. They are summarized as the **task environment**.

Example 1: a chess-playing agent

- performance measure: win, draw, lose, ...
- environment: chess board, opponent, ...
- actuators: move pieces, ...
- sensors: board state, opponent moves, ...

Example 2: a self-driving car

- performance measure: safety, destination, legality, comfort, ...
- environment: streets, highways, traffic, pedestrians, weather, ...
- actuators: steering, accelerator, brake, horn, speaker, display, ...
- sensors: video, accelerometers, gauges, engine sensors, GPS, ...

Example 3: a medical diagnosis system

- performance measure: patient health, cost, time, ...
- environment: patient, hospital, medical records, ...
- actuators: diagnosis, treatment, referral, ...
- sensors: medical records, lab results, ...

Environment types

Fully observable vs. partially observable

Whether the agent sensors give access to the complete state of the environment, at each point in time.

Deterministic vs. stochastic

Whether the next state of the environment is completely determined by the current state and the action executed by the agent.

Episodic vs. sequential

Whether the agent's experience is divided into atomic independent episodes.

Static vs. dynamic

Whether the environment can change, or the performance measure can change with time.

Discrete vs. continuous

Whether the state of the environment, the time, the percepts or the actions are continuous.

Single agent vs. multi-agent


Whether the environment include several agents that may interact which each other.

Known vs unknown

Reflects the agent's state of knowledge of the "law of physics" of the environment.

Are the following task environments fully observable? deterministic? episodic? static? discrete? single agents? Known?

- Crossword puzzle
- Chess, with a clock
- Poker
- Backgammon
- Taxi driving
- Medical diagnosis
- Image analysis
- Part-picking robot
- Refinery controller
- The real world



SCORE: 18

What about Pacman?

Agent programs

Our goal is to design an **agent program** that implements the agent policy.


Agent programs can be designed and implemented in many ways:

- with tables
- with rules
- with search algorithms
- with learning algorithms


Reflex agents

Reflex agents ...

- choose an action based on current percept (and maybe memory);
- may have memory or model of the world's current state;
- do not consider the futur consequences of their actions.




Simple reflex agents



- **Simple reflex agents** select actions on the basis of the current percept, ignoring the rest of the percept history.
- They implement **condition-action rules** that match the current percept to an action. Rules provide a way to **compress** the function table.
- They can only work in a **Markovian** environment, that is if the correct decision can be made on the basis of only the current percept. In other words, if the environment is fully observable.

Model-based reflex agents




- **Model-based agents** handle partial observability of the environment by keeping track of the part of the world they cannot see now.
- The internal state of model-based agents is updated on the basis of a **model** which determines:
 - how the environment evolves independently of the agent;
 - how the agent actions affect the world.


Planning agents

Planning agents ...

- ask "what if?";
- make decisions based on (hypothesized) consequences of actions;
- must have a model of how the world evolves in response to actions;
- must formulate a goal.




Goal-based agents




- Decision process:
 1. generate possible sequences of actions
 2. predict the resulting states
 3. assess **goals** in each.
- A **goal-based agent** chooses an action that will achieve the goal.
 - More general than rules. Goals are rarely explicit in condition-action rules.
 - Finding action sequences that achieve goals is difficult. **Search** and **planning** are two strategies.

Utility-based agents



- **Goals** are often not enough to generate high-quality behavior. Goals only provide binary assessment of performance.
- A **utility function** scores any given sequence of environment states.
 - The utility function is an internalization of the performance measure.
- A rational utility-based agent chooses an action that **maximizes the expected utility of its outcomes**.

Learning agents



- **Learning agents** are capable of **self-improvement**. They can become more competent than their initial knowledge alone might allow.
- They can make changes to any of the knowledge components by:
 - learning how the **world** evolves;
 - learning what are the **consequences** of actions;
 - learning the utility of actions through **rewards**.

A learning autonomous car

- Performance element:
 - The current system for selecting actions and driving.
- The critic observes the world and passes information to the learning element.
 - E.g., the car makes a quick left turn across three lanes of traffic. The critic observes shocking language from the other drivers and informs bad action.
 - The learning element tries to modify the performance element to avoid reproducing this situation in the future.
- The problem generator identifies certain areas of behavior in need of improvement and suggest experiments.
 - E.g., trying out the brakes on different surfaces in different weather conditions.

Summary

- An **agent** is an entity that perceives and acts in an environment.
- The **performance measure** evaluates the agent's behavior. **Rational agents** act so as to maximize the expected value of the performance measure.
- **Task environments** includes performance measure, environment, actuators and sensors. They can vary along several significant dimensions.
- The **agent program** effectively implements the agent function. Their designs are dictated by the task environment.
- **Simple reflex agents** respond directly to percepts, whereas **model-based reflex agents** maintain internal state to track the world. **Goal-based agents** act to achieve goals while **utility-based agents** try to maximize their expected performance.
- All agents can improve their performance through **learning**.

